

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.


**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61B 17/32	A2	(11) International Publication Number: WO 99/04704 (43) International Publication Date: 4 February 1999 (04.02.99)
(21) International Application Number: PCT/US98/15160 (22) International Filing Date: 23 July 1998 (23.07.98) (30) Priority Data: 60/053,664 24 July 1997 (24.07.97) US (71)(72) Applicant and Inventor: MCGUCKIN, James, F., Jr. [US/US]; 585 County Lane, Radnor, PA 19087 (US). (74) Agent: QUINN, Charles, N.; Dann, Dorfman, Herrell & Skillman, Suite 720, 1601 Market Street, Philadelphia, PA 19103-2307 (US).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>Without international search report and to be republished upon receipt of that report.</i>

(54) Title: BREAST SURGERY METHOD AND APPARATUS



(57) Abstract

The method and apparatus for subcutaneous target tissue mass through a cutaneous incision smaller than maximum transverse dimension of the tissue mass excised includes an axially elongated housing, tissue piercing means slidably resident within the housing and means connected to the elongated housing and resiliently radially expandable relative thereto for cutting said tissue mass to be excised.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

BREAST SURGERY METHOD AND APPARATUS**Field of the Invention**

This invention relates to surgical apparatus and methods for obtaining a subcutaneous target mass having varied shape and dimension.

**Background of the Invention
and Description of the Prior Art**

Modern medical diagnostics increasingly rely on complex imaging technologies to identify abnormal conditions and/or masses within the human body. Such technologies as magnetic resonance imaging (MRI), ultrasonics, computerized axial tomography (CAT scan), and mammogram x-rays, aid medical personnel in the initial identification of areas within the body exhibiting potentially dangerous, abnormal biological activity. The beneficial aspect of these technologies is their ability to image biological structures interior to the human body, providing a non-invasive tool useful in facilitating preliminary diagnosis and treatment of detected anomalies.

Detected subcutaneous biological growths, masses, etc. once identified generally require complete surgical excision or at the very least an open biopsy procedure.

Small masses such as calcifications encountered in breast tissue are generally removed in their entirety. The process of excising the mass is an invasive process, performed either during exploratory surgery or utilizing specifically designed surgical apparatus. The retrieved specimen is subsequently pathologically analyzed to determine its

biological properties, i.e. benign or malignant.

Several types of apparatus are known for use in removing portions of subcutaneous masses in breast tissue targeted by these imaging techniques. However, these apparatus generally either obtain only small tissue specimens from the main mass or cause significant surface scarring due to the size of the incision necessary to remove the mass with a safe resection margin.

One type of specimen retrieval is performed with needle aspiration devices. These devices have a needle with an end hole. The needle is advanced to a desired location where a sample specimen is obtained via suction. Size and quality of specimens obtained by these devices are often poor, requiring multiple sampling of each desired target mass. Moreover, tissue encountered along the path to the desired location is unavoidably removed. A hollow channel is created upon withdrawal of the device from the patient, thereby allowing "seeding" of the hollow channel removal tract with abnormal cells. Some needle systems utilize an enlarged needle end hole, creating a boring probe which obtains a greater portion of tissue. This lessens the likelihood that the specimen will be too small but increases the amount of surface scarring due to the larger size incision required.

The percutaneous incisions needed when multiple needle channels or large needle bore channels are used often result in significant scarring, dimpling and disfigurement of surface tissue.

Needle side cutting devices have a blade extending around the circumference of a hollow needle shaft. The shaft and blade are axially rotated around the skin entry site, allowing a larger overall specimen to be excised. Target tissue is sliced and a non-contiguous specimen is obtained due to the spiral blade path. While these needle side cutting devices facilitate capture of larger sample specimens, they require resection of a relatively large core of tissue between the incision and the specimen desired to be resected. Additionally, needle side cut devices result in irregularly shaped specimens and subcutaneous cavities having irregular and/or bleeding margins.

Hence, the known devices are particularly ill suited in retrieving tissue masses from the female breast, due to the interest in preserving cosmetic integrity of the surface tissue as well as the inability of the known devices to remove most masses/calcifications during a single application.

Summary of the Invention

This invention provides surgical apparatus and methods where size and shape of subcutaneous tissue identified for excision is minimally dependent on dimensions of the percutaneous incision. The apparatus and methods have specific utility in breast surgery.

In one of its aspects this invention provides apparatus for excision of the subcutaneous target tissue mass through a cutaneous incision smaller than maximum transverse dimension of the tissue mass excised where the apparatus includes an

axially elongated member including cutaneous tissue piercing means at one end and means connected to the elongated member and being radially expandable relative thereto for cutting a circumferential swath of radius greater than maximum transverse dimension of the elongated member and greater than maximum transverse cross-sectional dimension of the target tissue mass in order to separate the target tissue mass from surrounding tissue for excision thereof through the incision. The apparatus may further include an expandable aseptic shield concentric with the elongated member and axially slidably advanceable over the cutting means when in the radially expanded configuration, to collectibly bag the target tissue mass detached from the patient by the cut circumferential swath, for aseptic removal in an axial direction together with the elongated member through the incision resulting from entry of the cutaneous tissue piercing means.

The apparatus may yet further include a sheath which is axially slidably concentric with the elongated member and connected to first ends of the cutting means for expanding the cutting means from generally linear and axial orientation to a curved basket-like orientation by axial movement relative to the elongated member.

In yet another of its aspects the invention provides apparatus for excision of a sub-cutaneous target tissue mass through a cutaneous incision smaller than maximum transverse dimension of the tissue mass excised where the apparatus includes an axially elongated member through which cutaneous tissue piercing means may be extended to emerge at one end

thereof. The apparatus further includes means insertable through the elongated member which is radially expandable relative to the elongated member for cutting a conical swath having base radius greater than maximum transverse dimension of the elongated member and greater than maximum transverse cross-sectional dimension of the target tissue mass, for separating the target tissue mass from surrounding tissue for removal thereof through the incision. In this embodiment of the invention the apparatus further preferably includes expandable aseptic shield means insertable through the elongated member and advanceable over the path of the cutting means to radially expand and collectibly bag the tissue mass detached from a patient by the conical swath cutting for aseptic removal in an axial direction through the elongated member and the incision resulting from entry of the cutaneous tissue piercing means.

In one of its aspects this invention preferably provides such apparatus having a piercing segment for penetrating a percutaneous entrance incision. The forward edge of the piercing segment preferably separates breast tissue in the path of the target tissue to be excised. The piercing segment preferably passes through the specimen to be excised, delivering an associated preferably circular array of preferably highly flexible cutting blades to the interior identified subcutaneous breast growth.

The circular array of preferably flexible cutting blades is preferably radially expanded by action of an attached actuating shaft. The blades radially expand to preferably cut

by electro-cauterizing the breast tissue as they rotate around a defined periphery. The blades preferably outwardly expand to envelope the target tissue specimen and axially rotate to separate the target tissue growth from surrounding breast tissue. The target tissue growth is excised from surrounding breast tissue outside the periphery of the circular blade path and is preferably secured by a snaring membrane placed riding over the circular array of flexible cutting blades.

The membrane is preferably secured over the blade array through an integral drawstring assembly contracting the mouth of the snaring membrane. The membrane-encased blade array is preferably drawn into a recovery sheath and compressed for aseptic removal from the excision site.

In a method aspect this invention removes subcutaneous breast growths. A percutaneous surface incision is prepared for reception of surgical apparatus. Through use of suitable medical imaging technologies, the cutting apparatus device is guided to the area of the target subcutaneous breast growth while preferably maintaining a fixed subcutaneous reference point. A circular array of blades is then preferably radially expanded, preferably forming a cutting basket having dimensions larger than the target subcutaneous breast growth. Radial expansion and rotation of the electro-cauterizing blades separates the targeted growth from surrounding tissue. A snaring membrane advances over the blade array and is secured by an integral drawstring assembly. A recovery sheath compresses the membrane, encasing the target growth as it is withdrawn from the subcutaneous breast cavity. As a result, a

growth which is large relative to the entrance incision is excised.

In another of its method aspects this invention provides a procedure for excision of a sub-cutaneous target tissue mass through a cutaneous incision which is smaller than maximum transverse dimension of the target tissue mass to be excised where the procedure includes an advancing tissue piercing means towards a patient to create an incision in the patient's skin, slidably advancing cutting means through the incision and into sub-cutaneous tissue until in position to radially expand and cut a circumferential swath around the target tissue mass larger than the incision, cutting a circumferential swath around the target tissue mass thereby separating the target mass from the surrounding tissue, slidably advancing flexible aseptic containment means over the separated target tissue mass to a position of closure about the target tissue mass and withdrawing the flexible aseptic containment means, with the target tissue mass aseptically contained therewithin, through the incision. The method may further include collapsing the cutting means after cutting the swath.

In yet another of its method aspects, this invention provides a procedure for excision of sub-cutaneous target tissue mass through a cutaneous incision smaller than maximum transverse dimension of the target tissue mass to be excised where the procedure includes advancing tissue piercing means towards the patient to create an incision in the patient's skin, slidably advancing cutting means through the incision

and into sub-cutaneous tissue until in position to gradually radially expand and cut a conical swath about the target tissue mass larger than the incision thereby separating the target tissue mass from the surrounding tissue, slidably advancing flexible aseptic containment means over the separated target tissue mass to a position of closure around the target tissue mass and withdrawing the flexible aseptic containment means with the target tissue mass aseptically contained therewithin through the incision. The invention in this aspect preferably further includes radially inwardly collapsing the cutting means, which is preferably wire, after cutting the conical swath and may yet further include radially inwardly cutting tissue along the base of said cone by a passage of the cutting wire therethrough and thereafter closing flexible aseptic containment means over about the periphery of the cone and the target tissue mass contained therewithin.

Brief Description of the Drawings

Figure 1 is a side view one embodiment of apparatus manifesting aspects of the invention with the cutting blades in radially expanded condition.

Figure 2 is a side view of the surgical apparatus illustrated in Figure 1 of the cutting blades in their non-expanded condition.

Figure 3 is a front view of a modified version of the apparatus illustrated in Figures 1 and 2 with the cutting blades in a non-expanded condition as illustrated in Figure 2.

Figure 4 is a front view of a modified version of the apparatus illustrated in Figures 1 through 3 with the cutting blades in their radially expanded condition as illustrated generally in Figure 1.

Figure 5 is a broken schematic partially sectioned view of female breast tissue with the apparatus illustrated in Figures 1 through 4 in position within the breast in the process of removing a target tissue mass from the breast with the target tissue mass encased within an aseptic shield portion of the apparatus.

Figure 6 is a side view of a portion of apparatus according one preferred embodiment of the invention shown in the course of practicing a preferred method aspect of the invention.

Figure 7 is a side view of a part of the apparatus illustrated in Figure 6 showing additional parts of one preferred apparatus embodiment of the invention in the course of practicing the inventive method.

Figure 8 is a side view of the apparatus illustrated in Figure 7 showing the support struts deployed.

Figure 9 is a side view of the preferred embodiment of the apparatus showing the struts deploying about a percutaneous growth.

Figure 10 is a side view of the preferred embodiment of the apparatus showing advancement of the cutting wire along a strut margin.

Figure 11 is a side view of the apparatus shown in Figure 10 with the cutting wire fully deployed.

Figure 12 is a side view of the preferred embodiment of the apparatus depicting a new cutting wire retraction.

Figure 13 is a side view of the preferred embodiment of the apparatus showing advancement of the bagging structure.

Figure 14 is a side view of the preferred embodiment with tissue containment bagging completed.

Figure 15 is a side view of the preferred embodiment of the apparatus showing the containment sheath deploying.

Figure 16 is a side view of the preferred embodiment of the apparatus showing the containment sheath normally deployed.

Figure 17 is an isometric view of the apparatus shown in Figure 16.

Figure 18 is a broken view of the tissue containment bag showing the drawstring tissue.

Figure 19 is a side view similar to Figure 16 but showing the containment sheath fully deployed.

Figure 20 is a side view similar to Figure 19 but showing the containment sheath being withdrawn.

Figure 21 is a side view similar to Figure 19 showing optional use of a medicament bag and a radiological marker

Figure 22 is a side view similar to Figure 19 showing optional use of liquid medication supported in part by the containment sheath.

Figure 23 is an elevation of a support member.

Figure 24 depicts the female breast and illustrated the incision resulting from practice of the method.

Figure 25 is partial end elevation taken looking from the right in Figure 8.

Figure 26 is partial end elevation taken looking from the right in Figure 10.

Figure 27 is partial end elevation taken looking from the right in Figure 16.

Detailed Description of the Preferred Embodiments

This invention provides surgical apparatus and methods for excision of percutaneous breast tissue. The apparatus has the capability to pass through an incision substantially smaller than the maximum percutaneous target specimen dimension occupying an excision site.

In one embodiment the surgical apparatus preferably cuts the target tissue with an electro-cauterizing, circular array of flexible cutting blades, preferably collecting the specimen

within the periphery of an expandable blade path; thus the complete growth is preferably obtained in a single procedure. The tissue is preferably returned as a complete specimen or, alternatively, in segments within a snaring membrane. A recovery sheath is preferably positioned to further encase and compress the blade array upon contraction.

Referring to Figure 1, the illustrated embodiment of surgical apparatus 10 includes an inner rotatable shaft 20, a tubular recovery sheath 25, a snaring membrane 30, a circular array of radially flexible and expandable cutting blades generally designated 50, a membrane drawstring 80, a membrane mouth section 27 of recovery sheath 25, a power source 15 and a tissue piercing member 65.

Membrane 30 preferably has an inner surface 32 coaxially parallel with shaft 20, and an outer surface 34. Inner surface 32 of membrane 30 preferably slidably facingly contacts the outside surface 22 of shaft 20. Membrane 30 is adjustably positioned in either the distal or proximate direction through the proximate end of shaft 20.

Tubular recovery sheath 25 preferably includes a distal pleated mouth section 27, an outer surface 45, and an inner surface 60 facingly coaxially contacting membrane 30. Inner surface 60 slidably engages outer surface 34 of membrane 30. Shaft 20 defines a rotational axis 12.

Shaft 20 rotates as denoted by arrow 12. Rotatable shaft 20 of surgical apparatus 10 is preferably rotated manually, through mechanical hand control. However, shaft 20 may be operably linked with an electrical motor, not shown, which may

be driven by power source 15.

Circular cutting blade 50 includes individual flexible blades 55 which are preferably anchored between piercing member 65 and proximate end of shaft 20. Blades 55 are preferably electro-cauterizing, heated by electrical power source 15.

The materials utilized to construct surgical apparatus 10 are preferably radiopaque to be visible using modern medical imaging systems.

Referring to Figure 2, surgical apparatus 10 is shown with individual flexible blades 55 in their non-expandable, tissue insertion orientation. In this insertion orientation the blades are parallel with and of slightly smaller diameter than tubular recovery sheath 25. Tubular recovery sheath 25 includes a snaring membrane 30 having a mouth section 27 and a drawstring 80, for drawing membrane 30 closed once it has been opened. Drawstring 80 is positioned along the distal margin of mouth section 27.

Mouth section 27 of membrane 30 expands outwardly in response to pulling of a polyvinyl tab or ripcord upon reaching the excision site. The polyvinyl tab or ripcord is preferably at the end of shaft 20 to the right, which is not shown in the drawing. The polyvinyl tab or ripcord is not visible in the drawing.

Recovery sheath 25 is preferably advanced over circular array of cutting blades 50 and preferably secured in place around the cutting blades and the excised specimen by pulling the drawstring towards the proximate end of shaft 20.

Referring now to Figure 3, piercing segment 65 is formed to separate subcutaneous tissue in the path between the surface incision and the growth.

Figure 3 and Figure 4 show a modification of the embodiment of surgical apparatus 10 illustrated in Figures 1 and 2. In the modification illustrated in Figures 3 and 4, shaft 20 includes an interior channel 21 extending forwardly through the center of the cutting blade circular array 50 and connecting with piercing membrane 65. A shaft stem section which is not shown connects to a dye port 70 in piercing member 65 for optional delivery of marking fluid to subcutaneous areas. Dye port 70 enables operators of apparatus 10 to deliver marking substances to the subcutaneous excision site. Alternatively, a titanium clip can be ejected from a clip fastening surface 75 for marking excision sites for future medical imaging analysis.

As shown in Figure 4, the circular array 50 of cutting blades 55 expands radially upon relative moment of shaft 20 in the direction of piercing member 65, defining a cutting orientation. Flexible cutting blades 55 are preferably electro-cauterizing, cutting as they outwardly expand and as they rotate after radially outward expansion. Upon rotation of flexible cutting blades 55 in the direction indicated by arrow A in Figure 4, the target tissue growth is separated from the surrounding subcutaneous breast tissue and remains within the periphery of the circular blade path.

As variations, the circular array of flexible cutting blades 50 may employ radially expandable ultrasonic cutting

means, referred to as "harmonic scalpels", or laser cutting means.

The method of excising subcutaneous breast target tissue growths is shown in Figure 5. In Figure 5 the edges of a surgical site where a growth has been removed is indicated as 100; removal of the growth has created subcutaneous cavity 105. As shown, subcutaneous cavity 105 is separated from a surface incision 126 by an excision distance 95.

In preparation for removing the subcutaneous breast tissue growth, percutaneous tissue is cut to produce an incision 126. A piercing member 65 of surgical apparatus 10 is placed at incision 126. An excision path is created by forcing piercing member 65 through the subcutaneous breast tissue between the percutaneous incision 126 and the identified target tissue growth. The target tissue growth is the desired excision site which is visualized via a medical imaging system such as ultrasound or mammography. The tip of surgical apparatus 10 is advanced until the piercing segment passes through the growth to be excised.

Once apparatus 10 is properly positioned relative to the target tissue mass as indicated by the medical imaging system, the proximate end of shaft 20 is urged towards piercing member 65. Flexible cutting blades 55 radially expand to define subcutaneous margin 100. The array of flexible cutting blades 50 is then rotated about the shaft axis as indicated by arrow 12, separating the target tissue growth along margin 100.

Membrane 30 is then advanced over the circular array of cutting blades 50 and secured by pulling integral drawstring

80 to the right in Figure 5 towards the end of shaft 20. Drawstring 80 secures the distal margin of membrane 30. The mouth 27 of sheath 25 is expanded by the polyvinyl pull tab when drawn towards the end of shaft 20.

Circular array of cutting blades 55, now encased by membrane 30, is drawn into the mouth of snaring sheath 25 and removed from subcutaneous cavity 105.

In the preferred embodiment shown in Figure 6, a plurality of guide struts generally designated 150 are advanced through a skin surface incision 126 and past a target tissue mass 115 via a tubular housing defining an extrication channel 26. As shown in Figures 7 and 8, guide struts 150 are inserted through surface incision 126 and moved to a position to define a conically shaped desired excision margin 100 respecting the target tissue mass 115, shown in Figure 11. As shown in Figures 8 through 10, the extension and configuration of struts 150 from surface incision 126 past target mass 115 creates a gradually expanding subcutaneous retrieval path referred to as a conical penumbra 95.

As shown in Figures 11 through 13, an electro-cauterizing cutting snare 155 is advanced along guide struts 150, creating a conically shaped excision margin.

Referring to Figure 14, the cutting snare 155 is advanced beyond the length of the guide struts 150 to where cutting snare 155 is drawn closed by pulling an integral drawstring 160 towards the exterior of the skin. As shown in Figures 15 through 17, mouth 27 of sheath 25 is advanced along the defined extrication channel 26 and expanded by pulling the

polyvinyl pull tab which is not shown. As shown in Figures 18 through 24, guide struts 150 are enveloped by snaring sheath 25 and may be removed from subcutaneous cavity through extrication channel 26.

In one preferred practice of the invention as depicted in Figures 6 through 27 and using the apparatus shown therein, apparatus 200 includes a support conduit designated generally 202 and axially elongating skin cutting means 204 having a cutting blade 205 which is insertable through support conduit 202 as illustrated generally in Figure 6. Skin cutting means 204 and particularly cutting blade 205 to make a suitable incision in the skin, preferably in the human breast designated generally 246 in Figure 24 where the skin is designated 224 in the drawing figures including Figure 6 and Figure 24. The incision is made to provide access to a target tissue mass designated generally 228 in the drawings which has been previously identified preferably using x-ray mammographic techniques as being dangerous and hence to be removed.

Once a skin incision, designated generally 248 in the drawings, has been made by skin cutting means 204 and appropriate use of cutting blade 205 thereof, skin cutting means 204 is preferably withdrawn axially through support conduit 202, moving to the left in Figure 6, and support means designated generally 207 and having a plurality of support members designated generally 206 is inserted axially through support conduit 202 and into the sub-cutaneous tissue 226 of the breast as indicated generally in Figure 7, with the direction of travel of support means 207 indicated generally

by arrow A in Figure 7.

As support members 206 of support means 207 are inserted into the sub-cutaneous tissue 226, support members expand 206 radially due to influence of resilient spring means 210, illustrated in dotted lines in Figure 8 and forming a portion of support means 207 to a position where support members 206 define a conical penumbra enveloping target tissue mass 228. The conical penumbra 208 defines planes of incision for removal of target tissue mass 228 and a medically advisable amount of surrounding sub-cutaneous healthy tissue 226.

As support members 206 radially diverge one from another due to the influence of resilient spring means 210, remote tips 209 of support members 206 define a circle which in turn defines the base of conical penumbra 208. Remaining, proximate ends of support members 206 are pivotally connected to a supporting shaft, not numbered in the drawings, for pivoting rotation thereabout in response to spring 210.

Once support members 206 have been deployed, into the position illustrated in Figure 8, the target tissue mass is well within the conical penumbra defined by support members 206.

A pair of tissue cutting wire loops 214 are positioned about the bases of support members 206, as illustrated generally in Figure 9, and are supported by and emerge from respective support catheters 212, also illustrated in Figure 9. Support catheters 212 are sufficiently rigid that when force is applied in the axial direction to support catheters 212 as indicated by arrows B and B' in Figure 9, support

catheters 212 move to the right in Figure 9 advancing tissue cutting wire loops 214 along the outer periphery of support members 204 as depicted generally in Figure 10.

As support catheters 212 are moved to the right in Figures 9 and 10, additional lengths of tissue cutting wires 214 is supplied through support catheters 212 so that tissue cutting wires 214, which are in the form of loops about the exterior surfaces of support members 206 as illustrated in Figure 10, can enlarge as the circumference of the conical penumbra, measured about the slant surface of the conical penumbra defined by support members 206 as illustrated in Figure 10, increases.

Support catheters 212 are urged to the right in Figure 10 until tissue cutting wire loops 214 pass the remote tips 209 of support members 206 and define a pair of essentially coincident and in any event concentric circles forming the base of conical penumbra 208.

Once tissue cutting wire loops 214 have reached this position due to movement of support catheters 212, the wire forming tissue cutting wire loops 214 are drawn to the left, through respective support catheters 212. This causes the respective tissue cutting wire loops 214 each to cinch together as the wires are withdrawn as indicated generally by arrows C, C' in Figure 11. As the tissue cutting wires are drawn to the left in Figure 11 through respective support catheters 212, the wire loops each cinch together thereby cutting circular incisions through the sub-cutaneous tissue; this action is illustrated generally in Figure 11 where the

respective tissue cutting wire loops are shown partially, but not completely, cinched. Two wire loops are preferable, for symmetrical application of force.

Once tissue cutting wire loops 214 have been completely cinched and the wires withdrawn to the position illustrated in Figure 12 by continually drawing the respective tissue cutting wires 214 in the directions indicated by arrows D, D' in Figure 12, the conical penumbra 208 defines planes of incision created by action of tissue cutting wire loops 214 where those planes of incision are shown in dotted lines in Figure 12. Note that two dotted lines are shown at the extreme right of Figure 12 to indicate that two circular planar incisions created by action of respective tissue cutting wire loops 214. Desirably, these two circular planar incisions are essentially congruent one with another.

Once tissue cutting wire loops 214 have been completely withdrawn into the position illustrated in Figure 12, a suitable tissue containment bag structure 216 is advanced outwardly of support conduit 202, around the outer periphery of support means 207 and particularly support members 206. Tissue containment bag 216 preferably has a pair of drawstrings 218, which may be metal, suture material, suitable plastic monofilaments and the like, which are sewn or threaded into tissue containment bag 216 proximate the vertical right-hand margin thereof appearing in Figure 13. Drawstrings 218 have extremity portions 219 illustrated in Figure 13.

Once tissue containment bag 216 has been advanced so that its margin 217 has traveled inwardly with respect to the

breast past the remote tips 209 of members 206, to the position generally corresponding to the base of conical penumbra 208, drawstring extremities 219 are pulled to the right in Figures 13 and 14, thereby causing looped drawstrings 218, 218' to close margin 217 of bag 216, causing margin 217 to circularly gather as shown in Figure 14.

Once margin 217 of bag 216 has been circularly gathered thereby effectively closing bag 216 about the target tissue mass 228 of interest, an expandable sheath 230 is advanced through the interior of support conduit 202 about tissue containment bag 216 with expandable sheath 230 moving in the direction indicated by arrow F in Figure 15. Expandable sheath 230 has a pleated expandable portion 231, which is resilient and seeks to expand radially outwardly to relieve internal stresses such that upon expandable portion 231 reaching terminus 203 of support conduit 202 which is within sub-cutaneous tissue 226, expandable portion 231 expands radially into the configuration illustrated generally in Figure 16. Expandable portion 231 of sheath 230 is preferably pleated, as depicted in Figure 17.

Expandable sheath 230 and particularly expandable portion 231 thereof provides support in the form of radially inwardly directed force on tissue containment bag 216 as bag 216 with target tissue mass 228 enveloped therein is pulled to the left in Figures 16, 19 and 20 as indicated generally by arrows G in Figure 19 and arrow H in Figure 20. The radially inward force provided on tissue containment bag 216 and target tissue mass 228 contained therein by expandable sheath 230, as tissue

containment bag 216 is pulled to the left in Figure 19, compresses tissue mass 228 into a smaller volume and essentially squashes tissue mass 228 into a longitudinally elongated form for passage through support conduit 202. Application of the radial force to tissue mass 228 reduces the transverse cross-sectional dimension of tissue mass 228 to at least the diameter of support conduit 202 as tissue containment bag 216 is drawn through the funnel-shaped expandable portion 231 of sheath 230 and into the interior of support conduit 202.

Once bag 216 and tissue mass 228 contained therein have been removed from the sub-cutaneous tissue, expandable sheath 230 may be removed by pulling it in the direction indicated by arrow H in Figure 20.

Optionally, while expandable sheath 230 is in position and perhaps only part way removed from the resected area of interest, a medicament bag 232 may be inserted into the resected area through the interior of support conduit 202 and through expandable sheath 230, as indicated in Figure 21. This may provide means for supplying radioactive gas to provide radiation therapy to the resected area. Additionally, a radiographic marker depicted as 236 may be implanted into the resected area of interest, using the balloon or otherwise while expandable sheath 230 remains in the area of the resection. As an additional option while expandable sheath remains in position thereby maintaining a void in the resected area of the sub-cutaneous tissue, liquid medication indicated schematically as 234 in Figure 22 may be supplied to the

resected area. In such case expandable sheath maintaining the resected tissue in a spaced-apart condition facilitates application of the liquid medication to all parts of the resected volume.

Utilizing the method and apparatus as described hereinabove results in a small, tunnel like incision approaching the skin of the breast with a larger, resected mass being removed therefrom; the resulting internal incision is depicted 244 in Figure 24.

Support members 206 preferably have metallic tips to provide radiopaque characteristics as indicated by 230 in Figure 23 and may also have metallic or other radiopaque marker bands indicated as 248 in Figure 23. Central portions 242 of support members 206 are preferably radiolucent as indicated by the stippling in Figure 23.

CLAIMS

What is claimed is:

1. Apparatus for excision of a sub-cutaneous target tissue mass through a cutaneous incision smaller than maximum transverse dimension of the tissue mass excised, comprising:
 - a. an axially elongated housing;
 - b. tissue piercing means slidably resident within said housing;
 - c. means connected to said elongated housing and being resiliently radially expandable relative thereto for cutting a conical swath having radius greater than maximum transverse dimension of said elongated housing and greater than maximum transverse cross-sectional dimension of said target tissue mass to separate said target tissue mass from surrounding tissue for excision thereof through said incision.
2. A method for excision of a sub-cutaneous target tissue mass through a cutaneous incision smaller than maximum transverse dimension of the tissue mass excised, comprising:
 - a. advancing tissue piercing means towards a patient to create an incision in the patients's skin;
 - b. slidably advancing cutting means through said incision and into sub-cutaneous tissue until in position to radially expand and cut a conical swath around said target tissue mass larger than said incision;

- c. cutting a conical swath around said target tissue mass thereby separating said target tissue mass from said surrounding tissue;
 - d. slidably advancing flexible aseptic containment means over said separated target tissue mass to a position of closure around said target tissue mass;
 - e. withdrawing said flexible aseptic containment means with said target tissue mass aseptically contained therewithin through said incision.
- 3. Apparatus for excision of a sub-cutaneous target tissue mass through a cutaneous incision smaller than maximum transverse dimension of the tissue mass excised, comprising:
 - a. an axially elongated member including cutaneous tissue piercing means at one end;
 - b. means connected to said elongated member and being radially expandable relative thereto for cutting a circumferential swath of radius greater than maximum transverse dimension of said elongated member and greater than maximum transverse cross-sectional dimension of said target tissue mass to separate said target tissue mass from surrounding tissue for excision thereof through said incision.
- 4. A method for excision of a sub-cutaneous target tissue mass through a cutaneous incision smaller than maximum transverse dimension of the tissue mass excised,

comprising:

- a. advancing tissue piercing means towards a patient to create an incision in the patients's skin;
 - b. slidably advancing cutting means through said incision and into sub-cutaneous tissue until in position to radially expand said cutting means and cut a circumferential swath around said target tissue mass larger than said incision;
 - c. cutting a circumferential swath around said target tissue mass thereby separating said target tissue mass from said surrounding tissue;
 - d. slidably advancing flexible aseptic containment means over said separated target tissue mass to a position of closure around said target tissue mass;
 - e. withdrawing said flexible aseptic containment means with said target tissue mass aseptically contained therewithin through said incision.
5. Apparatus for excision of a sub-cutaneous target tissue mass through a cutaneous incision smaller than maximum transverse dimension of the tissue mass excised, comprising:
- a. an axially elongated containment sheath having a resiliently expandable portion at one end thereof;
 - b. means insertable through said containment sheath for making said cutaneous incision;
 - c. a plurality of axially elongated support members insertable through said incision and said

- containment sheath and said incision into sub-cutaneous tissue, said support members being connected at their proximate ends, distal ends of said support members being unconnected to define a conical penumbra within said subcutaneous tissue;
- d. means for resiliently expanding said support members into said conical penumbra-defining orientation;
 - e. a support catheter resident within and insertable through said containment sheath;
 - f. a tissue cutting wire loop slidable resident within said support catheter in said containment sheath adapted for gradual exit from said support catheter to axially circumferentially traverse the slant surface of said conical penumbra;
 - g. a tissue containment bag insertable through said containment sheath and along said support members to reach the base of said conical penumbra, said bag including:
 - i. at least one drawstring threaded through the periphery of said bag at said conical penumbra for closing said bag about resected target tissue.
6. A method for excision of a sub-cutaneous target tissue mass through a cutaneous incision smaller than maximum transverse dimension of the tissue mass excised, comprising:
- a. advancing tissue piercing means through a

containment sheath having an expandable portion towards a patient to create an incision in the patients's skin;

- b. slidably advancing support members through said incision and said containment sheath into subcutaneous tissue until the target tissue mass is within a conical penumbra defined by said support members;
- c. simultaneously:
 - i. axially advancing a tissue cutting loop of hot wire through a support catheter in said containment sheath respecting said cone circumferentially around the slant surface of said conical penumbra; while
 - ii. advancing additional loop length out of said catheter within said containment sheath to provide sufficient length for said loop to extend in circular fashion around the circumference of said cone on said slant surface parallel to the cone base; while
 - iii. advancing said support catheter through said containment sheath along the slant surface of said conical penumbra to maintain the outlet of said support catheter via which said loop is advanced adjacent to said loop at any location along said slant surface of said cone; until said tissue cutting loop reaches the cone base;

- d. while maintaining said catheter outlet at said cone base drawing said wire into said catheter resident in said containment sheath to eliminate the loop and cut through tissue in the shape of a cone base;
- e. withdrawing said catheter and the enclosed wire from the patient through said containment sheath;
- f. sliding a tissue containment bag through said containment sheath and along said conical support to reach the base of said cone;
- g. pulling drawstrings threaded through the periphery of said bag at said cone base through said containment sheath to close said bag about said previously resected specimen;
- h. pulling said bag with said resected specimen therewithin into said expandable portion of said containment sheath thereby causing said sheath to expand and compress said specimen within said bag to smaller size;
- i. continuing pulling said bag with said compressed specimen therewithin through the remainder of said containment sheath and out of said patient.

1/7

FIG. 1




FIG. 2





FIG. 3






FIG. 4




FIG. 5

3/7




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

4/7




FIG. 11

FIG. 12






FIG. 13

FIG. 14



5/7




FIG. 15




FIG. 16




FIG. 17




FIG. 18

6/7




FIG. 20










FIG. 21

FIG. 22



7/7






INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61B 17/32, 10/00, 17/00	A3	(11) International Publication Number: WO 99/04704 (43) International Publication Date: 4 February 1999 (04.02.99)
<p>(21) International Application Number: PCT/US98/15160</p> <p>(22) International Filing Date: 23 July 1998 (23.07.98)</p> <p>(30) Priority Data: 60/053,664 24 July 1997 (24.07.97) US</p> <p>(71)(72) Applicant and Inventor: McGUCKIN, James, F., Jr. [US/US]; 585 County Lane, Radnor, PA 19087 (US).</p> <p>(74) Agent: QUINN, Charles, N.; Dann, Dorfman, Herrell & Skillman, Suite 720, 1601 Market Street, Philadelphia, PA 19103-2307 (US).</p>	<p>(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</p> <p>Published <i>With international search report.</i></p> <p>(88) Date of publication of the international search report: 22 April 1999 (22.04.99)</p>	

(54) Title: BREAST SURGERY METHOD AND APPARATUS



(57) Abstract

The method and apparatus for subcutaneous target tissue mass through a cutaneous incision smaller than maximum transverse dimension of the tissue mass excised includes an axially elongated housing, tissue piercing means slidably resident within the housing and means connected to the elongated housing and resiliently radially expandable relative thereto for cutting said tissue mass to be excised.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 98/15160

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 A61B17/32 A61B10/00 A61B17/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A61B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 224 488 A (NEUFFER) 6 July 1993 see column 3, line 12 - column 4, line 57; figures 2,3,6	1,3
X	WO 89 05608 A (COATS VIYELLA MEDICAL) 29 June 1989 see page 4, line 22 - page 6, line 30; figure 3	1,3
X	US 5 709 697 A (UNITED STATES SURGICAL CORP) 20 January 1998 see abstract; figures 17-26 & CA 2 187 712 A (U.S.S.C) 23 May 1997	1,3 5
A		
X	WO 95 02370 A (SALIM) 26 January 1995 see page 10, line 35 - page 11, line 30; figure 1	1,3

	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

1 February 1999

Date of mailing of the international search report

15.02.99

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Moers, R

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 98/15160

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DATABASE WPI Week 6518 Derwent Publications Ltd., London, GB; AN 878479 XP002082230 & SU 174 758 A, 27 January 1964	1,3
A	see abstract; figures 1-3 ---	5
A	US 2 816 552 A (HOFFMAN) 17 December 1957 see claim 1; figures 10,11 ---	1,3
A	US 3 320 957 A (SOKOLIK) 23 May 1967 see claim 1; figure 1 ---	1,3
A	US 5 649 547 A (BURBANK FRED H ET AL) 22 July 1997 see column 15, line 21 - line 45; figures 31-34 ---	5
A	US 5 370 647 A (GRABER JOHN N ET AL) 6 December 1994 see abstract; figures 1,13,24 ---	5
A	US 5 353 804 A (KORNBERG ET AL.) 11 October 1994 see column 8, line 42 - column 10, line 66; figures 9-13 ---	5
A	US 4 997 435 A (DEMETER) 5 March 1991 see abstract; figures 1-9 ---	5
A	US 5 514 153 A (BONUTTI) 7 May 1996 see abstract; figures 26-31 -----	5

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US 98/15160

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.: 2 4 6
because they relate to subject matter not required to be searched by this Authority, namely:
Rule 39.1(iv) PCT - Method for treatment of the human or animal body by surgery
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

see additional sheet

1. ☒ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☒ The additional search fees were accompanied by the applicant's protest.
☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. Claims: 1, 3

Apparatus for excision of a sub-cutaneous target tissue mass comprising an axially elongated housing; tissue piercing means and radially expandable tissue cutting means.

2. Claim : 5

Apparatus for excision of a sub-cutaneous target tissue mass comprising an axially elongated sheath having a resiliently expandable portion, tissue piercing means, a plurality of resiliently expanding support members, a support catheter with a tissue cutting wire loop and a tissue containment bag.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 98/15160

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5224488	A	06-07-1993	NONE	
WO 8905608	A	29-06-1989	AU 2919689 A EP 0354228 A	19-07-1989 14-02-1990
US 5709697	A	20-01-1998	CA 2187712 A	23-05-1997
WO 9502370	A	26-01-1995	AU 7190994 A	13-02-1995
US 2816552	A	17-12-1957	NONE	
US 3320957	A	23-05-1967	NONE	
US 5649547	A	22-07-1997	US 5526822 A CA 2211422 A EP 0808129 A JP 10513384 T WO 9624289 A CA 2186283 A EP 0751744 A JP 9510638 T WO 9525465 A US 5775333 A	18-06-1996 15-08-1996 26-11-1997 22-12-1998 15-08-1996 28-09-1995 08-01-1997 28-10-1997 28-09-1995 07-07-1998
US 5370647	A	06-12-1994	US 5190561 A AU 6950994 A WO 9426179 A	02-03-1993 12-12-1994 24-11-1994
US 5353804	A	11-10-1994	US 5111828 A US 5197484 A	12-05-1992 30-03-1993
US 4997435	A	05-03-1991	WO 9103983 A	04-04-1991
US 5514153	A	07-05-1996	US 5295994 A US 5331975 A US 5860997 A US 5827318 A US 5345927 A US 5716325 A US 5667520 A US 5707390 A US 5197971 A US 5163949 A	22-03-1994 26-07-1994 19-01-1999 27-10-1998 13-09-1994 10-02-1998 16-09-1997 13-01-1998 30-03-1993 17-11-1992